



What do I do if I am exposed to someone with COVID-19?

Click the statement that applies to you:

**I was exposed
(working somewhere other
than California)**

**I was exposed
(working in California)**

What do I do if I am exposed to someone with COVID-19?

If working in California ONLY



I have been exposed


Shared the same indoor airspace (e.g., meeting, workspace, lab, home) with an infected person for ≥15 mins over 24-hr period

You may continue to come on site **ONLY** if you:

1. Do not have symptoms, **and**
2. Wear a well-fitted mask¹ for 10 days, **and**
3. Test on day 6. Day 0 is the day of your last exposure.
 - If your exposure is a positive household member, test on day 6 and day 13.
 - If you already had COVID
 - Within the last 30 days: Test only if you are symptomatic.
 - Within 31-90 days: Take an antigen test on day 6.
 - Report positive results to the [Security Control Center](#). If negative, send results to [EHS](#) (instructions [here](#)).

You only need to report to the SCC if you test positive

¹ **Well-fitted mask:** A well-fitted mask can be a surgical mask, KN95, KF94, or an N95



What do I do if I am exposed to someone with COVID-19?

Working outside California



I have been exposed

<6 feet of an infected person for
≥15 mins over 24-hr period

You may continue to come on site **ONLY** if you:

1. Do not have symptoms, **and**
2. Wear a well-fitted mask¹ for 10 days, **and**
3. Test on day 6. Day 0 is the day of your last exposure.
 - If your exposure is a positive household member, test on day 6 and day 13.
 - If you already had COVID
 - Within the last 30 days: Test only if you are symptomatic.
 - Within 31-90 days: Take an antigen test on day 6.
 - Report positive results to the [Security Control Center](#).

You only need to report to the SCC if you test positive

¹ **Well-fitted mask:** A well-fitted mask can be a surgical mask, KN95, KF94, or an N95.

